


ULTIMATE RANGE



Specifications :

1. Streamline design, smooth touch feeling
2. Silver alloy contact, bronze conductors, more durable and safer
3. Night neon available on switch, easy location at night
4. Multi panel and colors for your choice and ODM, satisfy your personal need



Ultimate Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U301	1 gang 1 way switch	100pcs	0.034
	U302	1 gang 2 way switch	100pcs	0.034
	U303	2 gang 1 way switch	100pcs	0.034
	U304	2 gang 2 way switch	100pcs	0.034
	U305	3 gang 1 way switch	100pcs	0.034
	U306	3 gang 2 way switch	100pcs	0.034
	U307	4 gang 1 way switch(3×3)	100pcs	0.034
	U308	4 gang 2 way switch(3×3)	100pcs	0.034



- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	U313	1 gang 2 way intermediate switch	100pcs	0.034
	U317	10A bell switch(bell)	100pcs	0.029



>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U324	20A 1 gang double pole switch+neon	100pcs	0.034
	U327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	U329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	U331	45A switch+neon+13A switched socket+neon	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	U351	250W 1 gang speed switch	100pcs	0.034
	U355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	U555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U405	13A 1 gang switched socket, single pole	100pcs	0.034
	U406	13A 2 gang switched socket, single pole	50pcs	0.029
	U407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	U408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	U407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	U408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	U407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	U409	13A 1 gang switched socket, double pole	100pcs	0.034
	U410	13A 2 gang switched socket, double pole	50pcs	0.029
	U411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	U412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	U405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	U406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	U408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



U4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U429	15A 1 gang switched round-pin socket	100pcs	0.034
	U431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



U429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	U413	13A fused connection unit+neon	100pcs	0.034
	U419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	U444	16A 2 gang multi-function socket	100pcs	0.034
	U445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	U446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	U458	shaver socket	25pcs	0.029
	U460	16A 1 gang multi-function socket	100pcs	0.034



U445

Ultimate Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U432	coaxial socket, single outlet	100pcs	0.034
	U433	coaxial socket, twin outlet	100pcs	0.034
	U166	single satellite socket	100pcs	0.034
	U168	double satellite socket	100pcs	0.034



U432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U452	telephone socket	100pcs	0.034
	U438	1 gang telephone socket, secondary	100pcs	0.034
	U439	1 gang telephone socket, master	100pcs	0.034
	U440	2 gang telephone socket, secondary	100pcs	0.0286
	U442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	U443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



U438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	U820	20A connection plate	100pcs	0.034
	U821	45A connection plate	100pcs	0.034
	U401	1 gang blank plate	200pcs	0.034
	U402	2 gang blank plate	100pcs	0.029



U401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U301	1 gang 1 way switch	100pcs	0.034
	U302	1 gang 2 way switch	100pcs	0.034
	U303	2 gang 1 way switch	100pcs	0.034
	U304	2 gang 2 way switch	100pcs	0.034
	U305	3 gang 1 way switch	100pcs	0.034
	U306	3 gang 2 way switch	100pcs	0.034
	U307	4 gang 1 way switch(3×3)	100pcs	0.034
	U308	4 gang 2 way switch(3×3)	100pcs	0.034



U301 U302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	U313	1 gang 2 way intermediate switch	100pcs	0.034
	U317	10A bell switch(bell)	100pcs	0.029



U317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U324	20A 1 gang double pole switch+neon	100pcs	0.034
	U327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	U329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	U331	45A switch+neon+13A switched socket+neon	50pcs	0.029



U324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	U351	250W 1 gang speed switch	100pcs	0.034
	U355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	U555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



U355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U405	13A 1 gang switched socket, single pole	100pcs	0.034
	U406	13A 2 gang switched socket, single pole	50pcs	0.029
	U407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	U408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	U407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	U408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	U407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	U409	13A 1 gang switched socket, double pole	100pcs	0.034
	U410	13A 2 gang switched socket, double pole	50pcs	0.029
	U411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	U412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



U405

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	U405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	U406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	U408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



U4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U429	15A 1 gang switched round-pin socket	100pcs	0.034
	U431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



U429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	U413	13A fused connection unit+neon	100pcs	0.034
	U419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	U444	16A 2 gang multi-function socket	100pcs	0.034
	U445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	U446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	U458	shaver socket	25pcs	0.029
	U460	16A 1 gang multi-function socket	100pcs	0.034



U445

Ultimate Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U432	coaxial socket, single outlet	100pcs	0.034
	U433	coaxial socket, twin outlet	100pcs	0.034
	U166	single satellite socket	100pcs	0.034
	U168	double satellite socket	100pcs	0.034



U432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U452	telephone socket	100pcs	0.034
	U438	1 gang telephone socket, secondary	100pcs	0.034
	U439	1 gang telephone socket, master	100pcs	0.034
	U440	2 gang telephone socket, secondary	100pcs	0.0286
	U442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	U443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



U438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	U820	20A connection plate	100pcs	0.034
	U821	45A connection plate	100pcs	0.034
	U401	1 gang blank plate	200pcs	0.034
	U402	2 gang blank plate	100pcs	0.029



U401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)